

1/12




Fig. 1

BEST AVAILABLE COPY

2/12




Fig. 2




Fig. 4




Fig. 3

4/12




Fig. 5




Fig. 6




Fig. 7

7/12




Fig. 8

BEST AVAILABLE COPY





Fig. 9

Fig. 11

PWM = 30 %


a)

2
10 μ s
5.0 V




b)

3
10 μ s
5.0 V




c)

1
10 μ s
1.00 A




d)

4
10 μ s
0.50 A




e)

1
10 μ s
1.00 A




f)

4
10 μ s
1.00 A




g)

4
10 μ s
0.50 A



h)

1
10 μ s
50 mV




11/12

Fig. 12

PWM = 50 %


a)

2
10 μ s
5.0 V




b)

3
10 μ s
5.0 V




c)

1
10 μ s
2.00 A




d)

4
10 μ s
1.00 A




e)

1
10 μ s
2.00 A




f)

4
10 μ s
1.00 A




g)

4
10 μ s
2.00 A



h)

1
10 μ s
50 mV



BEST AVAILABLE COPY


12/12

Fig. 13

PWM = 80 %


a)

2
10 μ s
5.0 V




b)

3
10 μ s
5.0 V




c)

1
10 μ s
4.00 A




d)

4
10 μ s
2.00 A




e)

1
10 μ s
1.00 A




f)

4
10 μ s
5.00 A



g)

4
10 μ s
5.00 A



h)

1
10 μ s
50 mV

